

Toter®

Built for Extremes™

FEL CONTAINERS



PLASTIC FEL CONTAINERS

- Lasts up to 3X longer than steel containers
- Quieter than steel containers; perfect for areas where noise is a concern
- Lighter weight than steel containers for easier maneuverability
- Will not rust; perfect for environments where corrosion is a concern



STACKABLE DESIGN SAVES ON SPACE

Toter's plastic FELs are stackable – even when fully assembled. They can also be shipped unassembled for better truckload quantity efficiency.



Part	Description	Size (L x D x H)	Load Rating	Weight	Unassembled		Assembled	
					Containers Per Stack	53' t/l Quantity	Containers Per Stack	53' t/l Quantity
FL010	1-cubic-yard FEL*	82.3 x 41.75" x 38.0"	750 lbs/340.91 kg	193 lbs.	5	80	3	45
FL020	2-cubic-yard FEL*	82.3 x 43.5" x 52.3"	1,000 lbs/454.55 kg	229 lbs.	5	80	3	45
FL030	3-cubic-yard FEL*	82.3" x 50.6" x 65.1"	1,500 lbs/681.8 kg	281 lbs.	4	64	2	24
FL040	4-cubic-yard FEL	82.3" x 60.0" x 70.6"	2,000 lbs/909.1 kg	314 lbs.	3	30	2	20

*Dimensions include casters.


Part	Post-Mold Graphic	Drain Plug	Lock Bar (Manual or Automatic)	No Casters	6" Standard Casters (2 Swivel, 2 Rigid)	6" Standard Casters (All Swivel)	6" HD Casters (2 Swivel, 2 Rigid or All Swivel)	8" Standard Casters (All Swivel)	Caster Mounting Pads Only
FL010	●	●	●	●	S	●	●	●	●
FL020	●	●	●	●	S	●	●	●	●
FL030	●	●	●	●	S	●	●	●	●
FL040	●	●	●	S	●	●	●	●	●

S = standard ● = optional

Extreme Purpose • Extreme Toughness • Extreme Wear

ORGANICS FEL CONTAINERS

- Specifically designed for heavy, wet organic waste
- Built-in drain plug for easy clean-out
- Withstands exposure to organic waste without rusting
- Leak-proof
- Locking lid



Trap door*
provides safe, easy access.

Additional cross support ribs*
prevent lid from sagging.

Reinforced lid with two extra lbs. of plastic*
holds shape and seals tightly to the container.

Manual lock bar with hasp lock
makes lid fit tighter and eliminates need for rubber straps.

Steel rod-reinforced rim and steel frame base
prevent bowing.

Part	Description	Size (L x D x H)	Load Rating	Weight	Unassembled		Assembled	
					Containers Per Stack	53' t/l Quantity	Containers Per Stack	53' t/l Quantity
FL51C	1-cubic-yard FEL*	82.3 x 41.75" x 38.0"	750 lbs/340.91 kg	193 lbs.	5	80	3	45
FL52C	2-cubic-yard Organics FEL	82.3" x 43.5" x 52.4"	2,000 lbs/909.1 kg	322 lbs.	4	64	3	45
FL53A	3-cubic-yard Organics FEL	82.3" x 50.6" x 64.1"	3,000 lbs/1363.6 kg	396 lbs.	3	39	1	15
FL53B	3-cubic-yard Organics FEL	80.3" x 50.6" x 64.1"	3,000 lbs/1363.6 kg	477 lbs.	3	39	1	15
FL53C	3-cubic-yard Organics FEL	82.3" x 50.6" x 67.9"	3,000 lbs/1363.6 kg	409 lbs.	3	39	1	15
FL53D	3-cubic-yard Organics FEL	80.3" x 50.6" x 67.9"	3,000 lbs/1363.6 kg	487 lbs.	3	39	1	15

Part	Post-Mold Graphic	Drain Plug	Lock Bar (Manual or Automatic)	No Casters	XHD Body With Steel Frame and Steel Runners	XHD Body With Steel Frame, 6" HD Casters, All Swivel, 2 Braking	XHD Body With Steel Frame, 6" HD Casters, 2 Swivel Braking, 2 Rigid	Plastic Lift Pockets	Steel Lift Pockets	Organic Single Lid With Trap Door
FL51C	●	●	●	●	S	●	●	●	●	—
FL52C	●	●	●	—	—	S	—	S	—	—
FL53A	●	●	●	S	S	—	—	S	—	●
FL53B	●	●	●	S	S	—	—	—	S	●
FL53C	●	●	●	—	—	●	S	S	—	●
FL53D	●	●	●	—	—	●	S	—	S	●

S = standard ● = optional

STANDARD COLORS



GRAY (#125)



MIDNIGHT GRAY (#145)



BLUE (#705)



BLUE (#718)



FOREST GREEN (#960)



GREEN (#925)



GREEN (#940)



BROWN (#270)

Colors shown are as accurate as printing allows. Actual product colors are subject to variation from printed sample.

*Refers to 3-cubic-yard FEL container only



Toter[®]

Built for Extremes[™]