

FEL CONTAINERS



PLASTIC FEL CONTAINERS

- Lasts up to 3X longer than steel containers
- Quieter than steel containers; perfect for areas where noise is a concern
- · Lighter weight than steel containers for easier maneuverability
- Will not rust; perfect for environments where corrosion is a concern



					<u>Unassemble</u>	<u>Unassembled</u>		Assembled		
Part	Description	Size (L x D x H)	Load Rating	Weight	Containers Per Stack	53' t/l Quantity	Containers Per Stack	53' t/l Quantity		
FL020	2-cubic-yard FEL*	82.3 x 43.5" x 48.0"	1,000 lbs/454.55 kg	229 lbs.	5	80	3	45		
FL030	3-cubic-yard FEL*	82.3" × 50.6" × 54.0"	1,500 lbs/681.8 kg	281 lbs.	4	64	2	24		
FL040	4-cubic-yard FEL	82.3" × 60.0" × 47.5"	2,000 lbs/909.1 kg	314 lbs.	3	30	2	20		

*Dimensions include casters.

*Standard front bumpers, large area for custom signage, sealed rim to contain odors, replaceable lift pockets, quick change caster brackets


Part	Post-Mold Graphic	Drain Plug	Lock Bar (Manual or Automatic)	No Casters	6" Standard Casters (2 Swivel, 2 Rigid)	6" Standard Casters (All Swivel)	6" HD Casters (2 Swivel, 2 Rigid or All Swivel)	Caster Mounting Pads Only
FL020	•	٠	•	•	S	•	•	•
FL030	٠	•	٠	•	S	•	٠	٠
FL040	٠	•	٠	S	٠	•	٠	٠

S = standard • = optional



NEW TOTER FR SERIES

- Steel rod reinforcement and ribbed bottom wear chimes for enhanced durability
- Double-walled lift pockets to distribute weight for maximum pocket strength
- Integrated bumpers to protect the container for long life







Replaceable, double-walled Optional comfort & grip handles lift pockets for easy maintenance for easy maneuverability



Replaceable double-walled bumpers for long-lasting durability

					Unassembled		Assembled	
Part	Description	Size (L x D x H)	Load Rating	Weight	Containers Per Stack	53' t/I Quantity	Containers Per Stack	53' t/l Quantity
FR010	1-cubic-yard FEL*	82.3" x 38.0" x 38.8"	750 lbs/340.91 kg	192 lbs.	6	96	4	60
FR020	2-cubic-yard FEL*	82.3" × 43.1" × 52.8"	1000 lbs/454.55 kg	231 lbs.	5	80	3	45
FR030	3-cubic-yard FEL*	82.3" x 51.1" x 61.9"	1,500 lbs/681.8 kg	280 lbs.	4	64	2	24
FR040	4-cubic-yard FEL	82.3" × 60.5" × 67.4"	2,000 lbs/909.1 kg	315 lbs.	3	30	2	20

*Dimensions include casters.

Part	Post-Mold Graphic	Drain Plug	Lock Bar (Manual or Automatic)	No Casters	6" Standard Casters (2 Swivel, 2 Rigid)	6" Standard Casters (All Swivel)	6" HD Casters (2 Swivel, 2 Rigid or All Swivel)	Caster Mounting Pads Only	Bumpers
FR010	٠	•	٠	٠	S	٠	٠	٠	S
FR020	٠	•	•	٠	S	•	•	٠	S
FR030	٠	•	•	٠	S	•	•	٠	S
FR040	٠	•	•	S	٠	•	٠	٠	S



ORGANICS FEL CONTAINERS

- Specifically designed for heavy, wet organic waste
- Built-in drain plug for easy clean-out
- Withstands exposure to organic waste without rusting
- Leak-proof
- Locking lid



Trap door* provides safe, easy access

Additional cross support ribs*

prevent lid from sagging

Reinforced lid with two extra lbs. of plastic* holds shape and seals tightly to the container

Manual lock bar with hasp lock

makes lid fit tighter and eliminates need for rubber straps

Steel rod-reinforced

rim and steel frame base prevent bowing

					<u>Unassembled</u>		<u>Assemble</u>	<u>d</u>
Part	Description	Size (L x D x H)	Load Rating	Weight	Containers Per Stack	53' t/l Quantity	Containers Per Stack	53' t/l Quantity
FL52C	2-cubic-yard Organics FEL	82.3" × 43.5" × 52.4"	2,000 lbs/909.1 kg	322 lbs.	4	64	3	45
FL53A	3-cubic-yard Organics FEL	82.3" × 50.6" × 64.1"	3,000 lbs/1363.6 kg	396 lbs.	3	39	1	15
FL53B	3-cubic-yard Organics FEL	80.3" × 50.6" × 64.1"	3,000 lbs/1363.6 kg	477 lbs.	3	39	1	15
FL53C	3-cubic-yard Organics FEL	82.3" × 50.6" × 67.9"	3,000 lbs/1363.6 kg	409 lbs.	3	39	1	15
FL53D	3-cubic-yard Organics FEL	80.3" x 50.6" x 67.9"	3,000 lbs/1363.6 kg	487 lbs.	3	39	1	15

Part	Post-Mold Graphic	Drain Plug	Lock Bar (Manual or Automatic)	No Casters	XHD Body With Steel Frame and Steel Runners	, , ,	XHD Body With Steel Frame, 6" HD Casters, 2 Swivel Braking, 2 Rigid	Plastic Lift Pockets	Steel Lift Pockets	Organic Single Lid With Trap Door
FL52C	•	•	٠	_	_	S	_	S	_	_
FL53A	٠	•	٠	S	S	_	_	S	_	٠
FL53B	٠	•	٠	S	S	_	_	_	S	٠
FL53C	٠	•	٠	_	_	•	S	S	—	٠
FL53D	٠	•	٠	_	_	•	S	_	S	٠

S = standard • = optional



Colors shown are as accurate as printing allows. Actual product colors are subject to variation from printed sample.

PO Box 5338 841 Meacham Road Statesville, NC 28677

704-872-8171 800-424-0422 sales@wastequip.com www.toter.com Toter is a Wastequip® brand



Built for Extremes®